



Downlightkasse 48 Justerbar

1. Downlightkasse 48 Justerbar

Downlight-kasse 48 justerbar

Utrekkbar

Innfesting av K-rør skjer uten bruk av skapmuffe eller klips.

Lengde: 340-560mm

Bredde: 245mm

Høyde: 48mm

Elnummer: 3235099

Dimensjon: L: 340-560mm, B: 245mm, H: 48mm

Farge: Hvit

Overflatebehandling:

Øvrige opplysninger: Downlight 48 kasse



2. ANVISNINGER FOR DRIFT OG VEDLIKEHOLD

Rengjøring og rengjøringsmetoder for overflateprodukterEttersyn/kontrollVedlikeholdsinstruks og -intervall

**Downlightkasse 48 Justerbar****3. DRIFTSTEKNISKE OPPLYSNINGER****Antatt teknisk levetid uten utskiftninger****Garanti og vilkår****Fuktbestandighet****Renholdsvennlighet****Øvrige opplysninger**

Housing:

High pure aluminium with RAL color system powder coated, UV resistance, with stable heat escaping away.

Electrification: Comply with CE, ENEC, VDE, EN60598-1 and all subsequent derivatives. Fixed output and dimming driver available-order separately, with leading or Trailing edge dimming.

Wiring: Excellent resistance to flammable, aging nature chemical, humidity, UV, electric-insulation(FEP) performance and mechanical strength.

4. TEKNISK SERVICE**Produsent/importør**

Ramo El-Engros AS



Sett inn logo

FDV-DOKUMENTASJON

april 2017

Ramo El-Engros AS

Downlight

Downlightkasse 48 Justerbar

Postadresse	Evjebekkveien 2
Postnr. og poststed	1661 Rolvsøy
Telefon	69339450
E-post	post@ramoelengros.no
Internett	www.ramolight.no